



PRO I ROACH KILL POWDER



Roach	Palmetto Bug	Waterbug	Ant	Silverfish
ACTIVE INGREDIENTS				
Orthoboric Acid.....	99.00%			
INERT INGREDIENTS.....	1.00%			
TOTAL.....	100.00%			

EPA Reg. No. 45385-20203
EPA Est. No. 45385-OH-1

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious do not give anything by mouth and do not induce vomiting. If in eyes: Flush eyes with plenty of water. Call a Physician if irritation persists. If on skin: Wash with plenty of soap and water. Get medical attention.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
Read back panel for complete precautions.
NET CONTENTS 16 OZ.

DIRECTIONS FOR USE

It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

To control cockroaches, ants and silverfish, apply liberally, scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs, into openings around drains, water pipes and electrical conduits, and in cracks and crevices along baseboards and corners of cabinets, cupboards and closets. Remove all lower drawers in kitchen and bath room cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

Directions for Applying in New Construction to Control Cockroaches: When treating large areas such as wall voids, soffits and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying as a Mop Solution to Control Cockroaches: Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Make only enough for each application. Supplemental treatment only. This product may be used in homes, restaurants and other food and feed handling establishments markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains trucks, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities and sewers.

DIRECTIONS FOR USE CONTINUED ON BACK PANEL

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS
& DOMESTIC ANIMALS

Not for internal use.
Keep away from domestic animals.

CAUTION

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a dry place. Do not store where children or animals may gain access.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container into application equipment, then dispose of empty container in a sanitary land fill or by incineration, or, if allowed by State or local authorities, by burning. If burning, stay out of smoke.

Bottle oversized to aid in squeezing out enclosed product.

This package is sold by weight. Some settling of contents may have occurred during shipment.

DIRECTIONS FOR USE Continued

CRACK AND CREVICE TREATMENT

Food and Feed Handling Establishment - Places other than private residences in which food or feed is held, processed, prepared and served.

FOOD AREA APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered food area.

Apply in small amounts directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where roaches hide.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENT, OTHER THAN AS A CRACK AND CREVICE TREATMENT, IS NOT PERMITTED.

Serving Areas - Facilities where prepared foods are served, such as dining rooms, but excluding areas where food may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

Non food Areas - Include garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard area around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at **1-800-856-7378**



CENOL
INCORPORATED
P.O. Box 472 • Twinsburg, OH 44087

SPECIMEN LABEL