

**DIRECTIONS FOR USE**  
It is a violation of the Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL:**  
Store in a cool dry place. Keep container closed.

**Pesticide Disposal:**  
Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal State or Local procedures.

**Container Disposal:**  
Triple rinse or equivalent) and offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

Directions for use continued on back panel.

<b>ACTIVE INGREDIENTS:</b>	
* Pyrethrins.....	0.100%
Piperonyl butoxide technical.....	0.200%
† N-Octyl bicycloheptene dicarboximide.....	0.333%
<b>INERT INGREDIENTS:</b> .....	99.367%
<b>TOTAL INGREDIENTS:</b> .....	100.000%
* Equivalent to 0.169% (butylcarbityl) (6-propylpiperonyl) ether and 0.04% related compounds	
† MGK 264 Insecticide Synergist	

**EPA Est. No. 45385-OH-01**  
**EPA Reg. No. 45385-25**

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
Harmful if swallowed.  
See side panel for additional precautionary statements.

**CHEM•TOX™**

# PYRMONOX DUAL 0.1

Synergized Pyrethrum Spray

**For Use in the Home, and Non-Food and Food Areas of:**  
**Cafes, Restaurants, Food Storage Warehouses, Flour Mills, Meat Packing Plants, etc.**

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**

Harmful if swallowed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled.

**STATEMENT OF PRACTICAL TREATMENT**  
If swallowed - Call a Physician or Poison Control Center Immediately. Gastric Lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration if indicated. Remove pets and cover fish bowls before spraying.

**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish and other aquatic animals. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.  
**PHYSICAL HAZARDS**  
Do not use or store near heat or open flame.

**Net Contents:**  One Gallon  Five Gallons  
 30 Gallons  55 Gallons

**NOTE:** When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

**IN FOGGING EQUIPMENT AND HAND SPRAYERS**

**Flies, Mosquitoes, Gnats, Small Flying Moths:** Close room and discharge mist vigorously in all parts of room, using 1 - 1½ to 2 ounces for each 1,000 cubic feet of space. Leave room closed for at least ten minutes. Do not remain in treated areas. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Repeat as needed.

**IN PRESSURIZED TANK SPRAYERS FOR**

**WETTING CONTACT SPRAYS**

**Fleas (Infesting Premises):** Remove and destroy animals bedding and spray the sleeping quarters freely, forcing the spray into cracks in the floor and about the room. Repeat when reinfested.

**Roaches, Waterbugs:** Apply in all cracks and crevices in woodwork, undermeath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

**Clothes Moths, Carpet Beetles:** Spray all articles to be protected, paying particular attention to folds and seams. For carpet beetles, thoroughly treat the under-sides and edges of carpeting and rugs, along base boards and under furniture. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

**Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Sawtoothed Grain Beetles, Cadellus, Grain Mites (Accessible Stages), Cigarette Beetles and Drug Store Beetles:** Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1,000 square feet of area, or to the point of run-off. Repeat when necessary.

For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at **1-800-858-7378**

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.



Twinsburg, OH 44087

**SPECIMEN LABEL**